



- GENERAL NOTES**
- (W1) & (W2) WINDOW TYPE TO HAVE CMU JAMBS GROUTED SOLID.
 - NOTE TO MASON - MASONRY OPENINGS FOR ALL WINDOWS TO BE VERIFIED WITH WINDOW MANUFACTURER PRIOR TO INSTALLATION AND WALL FORMING. MASONRY OPENINGS MAY HAVE TO BE WIDENED SLIGHTLY TO COMPLY WITH WINDOW MANUFACTURERS R.O. RECOMMENDATIONS.
 - SEE STRUCTURAL SHEETS FOR CMU TO BE FILLED WITH CONCRETE FOR STRUCTURAL BEARING CONDITIONS.
 - PROVIDE WINDOW BLINDS FOR ALL WINDOW TYPES (W1) & (W2) DEPICTED ON THIS DRAWING. (CASEMENT WINDOWS ONLY - NOT ARCH WINDOWS.)
 - SEE DETAIL 13/A801 FOR METAL STUD PARTITION BRACING AS REQUIRED.
 - SEE SHEET T102 FOR STANDARD SYMBOLS AND ABBREVIATIONS.
 - SEE DETAILS 1/A101 AND 2/A102 FOR WINDOW PROFILES AND DETAILS
 - SEE DETAIL 3/A101 FOR PASS THRU WINDOW PROFILE

SYMBOL SCHEDULE

	SECTION NUMBER BUILDING SECTION SHEET ON WHICH DRAWN		WINDOW NUMBER SEE WINDOW TYPE ELEVATIONS
	DETAIL OR SECTION NUMBER SECTION OR DETAIL SHEET ON WHICH DRAWN		DOOR & FRAME NUMBER SEE DOOR AND FRAME SCHEDULE
	ELEVATION NUMBER WALL ELEVATION SHEET ON WHICH DRAWN		METAL STUD/GYP. WALL
	ROOM NAME ROOM NUMBER SEE ROOM SCHEDULE		DECADE 90 MASONRY
			CONCRETE BLOCK WALL

NEW FIRE STATION #2 FOR GERMANTOWN FIRE DEPARTMENT
 EDISON DRIVE
 GERMANTOWN, WISCONSIN 53022
 ARCHITECTS - ENGINEERS - PLANNERS
FISCHER-FISCHER-THEIS, INC.
 S22 W22660 BROADWAY • WAUKESHA, WISCONSIN 53186-8199
 (262) 547-6969 • FAX (262) 547-6960 • E-MAIL: ftf@xfpc.com

05/12/00	KJT
PROJECT NO.	99054A
SHEET NO.	A101