

## INSPECTIONS REQUIRED

The following inspections are required to be made during construction:

- Footing Inspection - Prior to pouring of concrete. Recertification of footings by surveyor to be completed.
- Foundation Inspection - Prior to backfilling basement. Backplaster, waterproofing, drain tile and stone to be completed.
- Service Inspection - (Optional) Metering and breaker panel installation is completed, prior to energizing.
- Rough Electrical - After rough electrical is completed by electrical contractor (Service Inspection may be conducted at this time).
- Rough Under Floor Plumbing - Prior to pouring of concrete floor in basement.
- Rough Plumbing - After rough plumbing is completed.
- Drain Tile
- Rough Framing - After rough plumbing and electrical inspection, prior to insulation.
- Insulation Inspection - After insulation but prior to drywall.
- Exterior Plumbing Inspection - Sewer and water laterals installed prior to backfilling. Curb stop must terminate 6" above grade.
- Final Electrical Inspection - Prior to occupancy.
- Final Plumbing Inspection - Prior to occupancy.
- Final Inspection - Prior to occupancy. The water meter and house numbers must be installed prior to inspection. (Occupancy Permit will be issued). Occupancy prior to obtaining the Occupancy Permit will be subject to the penalties provided by the ordinance. Where any belongings are in the structure, Inspectors will not enter the structure without an escort.